



[DCA HOME](#) | [ABOUT DCA](#) | [DCA PROGRAMS](#) | [CONTACT DCA](#)



[BCIS Home](#) | [Log In](#) | [Hot Topics](#) | [Submit & Surcharge](#) | [Stats & Facts](#) | [Publications](#) | [FBC Staff](#) | [BCIS Site Map](#) | [Links](#) | [Search](#)



Product Approval  
**USER:** Public User

- ▶ COMMUNITY PLANNING
- ▶ HOUSING & COMMUNITY DEVELOPMENT
- ▶ EMERGENCY MANAGEMENT
- ▶ OFFICE OF THE SECRETARY

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

FL #	FL560-R2
Application Type	Revision
Code Version	2004
Application Status	Approved
Comments	
Archived	<input type="checkbox"/>
Product Manufacturer	MonierLifetile
Address/Phone/Email	200 Story Road Lake Wales, FL 33853 (561) 866-5983 rmoody@monierlifetile.com
Authorized Signature	Reese Moody rmoody@monierlifetile.com
Technical Representative	Reese Moody
Address/Phone/Email	200 Story Road Lake Wales, FL 33853  rmoody@monierlifetile.com
Quality Assurance Representative	Steve Zigich
Address/Phone/Email	200 Story Road Lake Wales, FL 33853  szigich@monierlifetile.com
Category	Roofing
Subcategory	Roofing Tiles
Compliance Method	Evaluation Report from a Product Evaluation Entity
Evaluation Entity	ICC Evaluation Service, Inc.
Quality Assurance Entity	PSI/Pittsburgh Testing Laboratory
Validated By	Gary W. Walker
Certificate of Independence	<a href="#">FL560_R2_COI_Certificate+of+Independence.pdf</a> <a href="#">FL560_R2_COI_SGS Independence Statement.pdf</a>

Referenced Standard and Year (of Standard)	Standard	Year
	ASTM C 1492	2003
	SSTD 11	1997
	TAS 101	1995
	TAS 102	1995
	TAS 102(A)	1995
	TAS 112	1995

Equivalence of Product Standards Certified By

Sections from the Code

Product Approval Method Method 1 Option C

Date Submitted 01/15/2007  
 Date Validated 01/16/2007  
 Date Pending FBC Approval 01/19/2007  
 Date Approved 02/07/2007

**Summary of Products**

FL #	Model, Number or Name	Description
560.1	Atlantis Shake and Slate	Flat profile
<b>Limits of Use</b> Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: (A) Class A roof covering (B) Roof tiles may be used in both high velocity hurricane zones (HVHZ) and non high velocity hurricane zones.		<b>Installation Instructions</b> <a href="#">FL560_R2_II_RAS No 118.pdf</a> <a href="#">FL560_R2_II_RAS No 119.pdf</a> <a href="#">FL560_R2_II_RAS No 120.pdf</a> Verified By: Gary W. Walker 40455 <b>Evaluation Reports</b> <a href="#">FL560_R2_AE_02-1211.08.pdf</a> <a href="#">FL560_R2_AE ESR-1647.pdf</a>
560.2	Capri	Low/Medium profile
<b>Limits of Use</b> Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: (A) Class A roof covering (B) Roof tiles may be used in both high velocity hurricane zones (HVHZ) and non high velocity hurricane zones.		<b>Installation Instructions</b> <a href="#">FL560_R2_II_RAS No 118.pdf</a> <a href="#">FL560_R2_II_RAS No 119.pdf</a> <a href="#">FL560_R2_II_RAS No 120.pdf</a> Verified By: Gary W. Walker 40455 <b>Evaluation Reports</b> <a href="#">FL560_R2_AE_02-1205.05.pdf</a> <a href="#">FL560_R2_AE ESR-1647.pdf</a>
560.3	Cedarlite	Flat profile
<b>Limits of Use</b> Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: (A) Class A roof covering (B) Roof tiles may be used in both high velocity hurricane zones (HVHZ) and non high velocity hurricane zones.		<b>Installation Instructions</b> <a href="#">FL560_R2_II_RAS No 118.pdf</a> <a href="#">FL560_R2_II_RAS No 119.pdf</a> <a href="#">FL560_R2_II_RAS No 120.pdf</a> Verified By: Gary W. Walker 40455 <b>Evaluation Reports</b> <a href="#">FL560_R2_AE_02-1211.06.pdf</a> <a href="#">FL560_R2_AE ESR-1647.pdf</a>

560.4	Duralite Shake and Slate	Flat profile
<b>Limits of Use</b> Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: (A) Class A roof covering (B) Roof tiles may be used in both high velocity hurricane zones (HVHZ) and non high velocity hurricane zones.		<b>Installation Instructions</b> <a href="#">FL560_R2_II_RAS No 118.pdf</a> <a href="#">FL560_R2_II_RAS No 119.pdf</a> <a href="#">FL560_R2_II_RAS No 120.pdf</a> Verified By: Gary W. Walker 40455 <b>Evaluation Reports</b> <a href="#">FL560_R2_AE_02-0328.04.pdf</a> <a href="#">FL560_R2_AE ESR-1647.pdf</a>
560.5	Duralite Villa	Low/Medium profile
<b>Limits of Use</b> Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: (A) Class A roof covering (B) Roof tiles may be used in both high velocity hurricane zones (HVHZ) and non high velocity hurricane zones.		<b>Installation Instructions</b> <a href="#">FL560_R2_II_RAS No 118.pdf</a> <a href="#">FL560_R2_II_RAS No 119.pdf</a> <a href="#">FL560_R2_II_RAS No 120.pdf</a> Verified By: Gary W. Walker 40455 <b>Evaluation Reports</b> <a href="#">FL560_R2_AE_02-0328.05.pdf</a> <a href="#">FL560_R2_AE ESR-1647.pdf</a>
560.6	Espana	High profile
<b>Limits of Use</b> Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: (A) Class A roof covering (B) Roof tiles may be used in both high velocity hurricane zones (HVHZ) and non high velocity hurricane zones.		<b>Installation Instructions</b> <a href="#">FL560_R2_II_RAS No 118.pdf</a> <a href="#">FL560_R2_II_RAS No 119.pdf</a> <a href="#">FL560_R2_II_RAS No 120.pdf</a> Verified By: Gary W. Walker 40455 <b>Evaluation Reports</b> <a href="#">FL560_R2_AE_02-1205.04.pdf</a> <a href="#">FL560_R2_AE ESR-1647.pdf</a>
560.7	Madera	Flat profile
<b>Limits of Use</b> Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: (A) Class A roof covering (B) Roof tiles may be used in both high velocity hurricane zones (HVHZ) and in non high velocity hurricane zones.		<b>Installation Instructions</b> <a href="#">FL560_R2_II_RAS No 118.pdf</a> <a href="#">FL560_R2_II_RAS No 119.pdf</a> <a href="#">FL560_R2_II_RAS No 120.pdf</a> Verified By: Gary W. Walker 40455 <b>Evaluation Reports</b> <a href="#">FL560_R2_AE_04-0512.04.pdf</a> <a href="#">FL560_R2_AE ESR-1647.pdf</a>
560.8	Mission 'S'	High profile
<b>Limits of Use</b> Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: (A) Class A roof covering (B) Roof tiles may be used in both high velocity hurricane zones (HVHZ) and non high velocity hurricane zones.		<b>Installation Instructions</b> <a href="#">FL560_R2_II_RAS No 118.pdf</a> <a href="#">FL560_R2_II_RAS No 119.pdf</a> <a href="#">FL560_R2_II_RAS No 120.pdf</a> Verified By: Gary W. Walker 40455 <b>Evaluation Reports</b> <a href="#">FL560_R2_AE_02-1205.04.pdf</a> <a href="#">FL560_R2_AE ESR-1647.pdf</a>
560.9	Mission 'S'	High profile
<b>Limits of Use</b> Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: (A) Class A roof covering (B) Roof tiles may be used in both high velocity hurricane zones (HVHZ)		<b>Installation Instructions</b> <a href="#">FL560_R2_II_RAS No 118.pdf</a> <a href="#">FL560_R2_II_RAS No 119.pdf</a> <a href="#">FL560_R2_II_RAS No 120.pdf</a> Verified By: Gary W. Walker 40455 <b>Evaluation Reports</b> <a href="#">FL560_R2_AE_06-0808.04.pdf</a>

and non high velocity hurricane zones and (C) Grade 3 roof tile.		
560.10	Mission Barrel	High profile
<b>Limits of Use</b> Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: (A) Class A roof covering (B) Roof tiles may be used in both high velocity hurricane zones (HVHZ) and non high velocity hurricane zones and (C) Grade 3 roof tile.		<b>Installation Instructions</b> <a href="#">FL560_R2_II_RAS No 120.pdf</a> Verified By: Gary W. Walker 40455 <b>Evaluation Reports</b> <a href="#">FL560_R2_AE_02-1211.07.pdf</a>
560.11	Regent	Low/Medium profile
<b>Limits of Use</b> Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: (A) Class A roof covering (B) Roof tiles may be used in both high velocity hurricane zones (HVHZ) and non high velocity hurricane zones and (C) Grade 3 roof tile.		<b>Installation Instructions</b> <a href="#">FL560_R2_II_RAS No 118.pdf</a> <a href="#">FL560_R2_II_RAS No 119.pdf</a> <a href="#">FL560_R2_II_RAS No 120.pdf</a> Verified By: Gary W. Walker 40455 <b>Evaluation Reports</b> <a href="#">FL560_R2_AE_06-0711.14.pdf</a>
560.12	Shake and Slate	Flat profile
<b>Limits of Use</b> Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: (A) Class A roof covering (B) Roof tiles may be used in both high velocity hurricane zones (HVHZ) and non high velocity hurricane zones.		<b>Installation Instructions</b> <a href="#">FL560_R2_II_RAS No 118.pdf</a> <a href="#">FL560_R2_II_RAS No 119.pdf</a> <a href="#">FL560_R2_II_RAS No 120.pdf</a> Verified By: Gary W. Walker 40455 <b>Evaluation Reports</b> <a href="#">FL560_R2_AE_02-1205.06.pdf</a> <a href="#">FL560_R2_AE_ESR-1647.pdf</a>
560.13	Spanish 'S'	High profile
<b>Limits of Use</b> Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: (A) Class A roof covering (B) Roof tiles may be used in both high velocity hurricane zones (HVHZ) and non high velocity hurricane zones.		<b>Installation Instructions</b> <a href="#">FL560_R2_II_RAS No 118.pdf</a> <a href="#">FL560_R2_II_RAS No 119.pdf</a> <a href="#">FL560_R2_II_RAS No 120.pdf</a> Verified By: Gary W. Walker 40455 <b>Evaluation Reports</b> <a href="#">FL560_R2_AE_02-1205.07.pdf</a> <a href="#">FL560_R2_AE_ESR-1647.pdf</a>
560.14	Tejas Espana	High profile
<b>Limits of Use</b> Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: (A) Class A roof covering (B) Roof tiles may be used in both high velocity hurricane zones (HVHZ) and non high velocity hurricane zones.		<b>Installation Instructions</b> <a href="#">FL560_R2_II_RAS No 118.pdf</a> <a href="#">FL560_R2_II_RAS No 119.pdf</a> <a href="#">FL560_R2_II_RAS No 120.pdf</a> Verified By: Gary W. Walker 40455 <b>Evaluation Reports</b> <a href="#">FL560_R2_AE_06-0711.12.pdf</a> <a href="#">FL560_R2_AE_ESR-1647.pdf</a>
560.15	Tradicao	High profile
<b>Limits of Use</b>		<b>Installation Instructions</b>

<p><b>Approved for use in HVHZ:</b> Yes  <b>Approved for use outside HVHZ:</b> Yes  <b>Impact Resistant:</b> N/A  <b>Design Pressure:</b> N/A  <b>Other:</b> (A) Class A roof covering (B) Roof tiles may be used in both high velocity hurricane zones (HVHZ) and non high velocity hurricane zones and (C) Grade 3 roof tile.</p>		<p><a href="#">FL560_R2_II_RAS No 118.pdf</a>  <a href="#">FL560_R2_II_RAS No 119.pdf</a>  <a href="#">FL560_R2_II_RAS No 120.pdf</a>                      Verified By: Miami-Dade BCCO - EVL  <b>Evaluation Reports</b>  <a href="#">FL560_R2_AE_06-0913.01.pdf</a></p>
560.16	Vanguard Roll	Low/Medium profile
<p><b>Limits of Use</b>  <b>Approved for use in HVHZ:</b> Yes  <b>Approved for use outside HVHZ:</b> Yes  <b>Impact Resistant:</b> N/A  <b>Design Pressure:</b> N/A  <b>Other:</b> (A) Class A roof covering (B) Roof tiles may be used in both high velocity hurricane zones (HVHZ) and non high velocity hurricane zones.</p>		<p><b>Installation Instructions</b>  <a href="#">FL560_R2_II_RAS No 118.pdf</a>  <a href="#">FL560_R2_II_RAS No 119.pdf</a>  <a href="#">FL560_R2_II_RAS No 120.pdf</a>                      Verified By: Gary W. Walker 40455  <b>Evaluation Reports</b>  <a href="#">FL560_R2_AE_02-1205.05.pdf</a>  <a href="#">FL560_R2_AE ESR-1647.pdf</a></p>
560.17	Villa	Low/Medium profile
<p><b>Limits of Use</b>  <b>Approved for use in HVHZ:</b> Yes  <b>Approved for use outside HVHZ:</b> Yes  <b>Impact Resistant:</b> N/A  <b>Design Pressure:</b> N/A  <b>Other:</b> (A) Class A roof covering (B) Roof tiles may be used in both high velocity hurricane zones (HVHZ) and non high velocity hurricane zones.</p>		<p><b>Installation Instructions</b>  <a href="#">FL560_R2_II_RAS No 118.pdf</a>  <a href="#">FL560_R2_II_RAS No 119.pdf</a>  <a href="#">FL560_R2_II_RAS No 120.pdf</a>                      Verified By: Gary W. Walker 40455  <b>Evaluation Reports</b>  <a href="#">FL560_R2_AE_02-1205.05.pdf</a>  <a href="#">FL560_R2_AE_06-0711.13.pdf</a>  <a href="#">FL560_R2_AE ESR-1647.pdf</a></p>
560.18	Villa 900	Low/Medium profile
<p><b>Limits of Use</b>  <b>Approved for use in HVHZ:</b> Yes  <b>Approved for use outside HVHZ:</b> Yes  <b>Impact Resistant:</b> N/A  <b>Design Pressure:</b> N/A  <b>Other:</b> (A) Class A roof covering (B) Roof tiles may be used in both high velocity hurricane zones (HVHZ) and non high velocity hurricane zones.</p>		<p><b>Installation Instructions</b>  <a href="#">FL560_R2_II_RAS No 118.pdf</a>  <a href="#">FL560_R2_II_RAS No 119.pdf</a>  <a href="#">FL560_R2_II_RAS No 120.pdf</a>                      Verified By: Gary W. Walker 40455  <b>Evaluation Reports</b>  <a href="#">FL560_R2_AE_06-0524.02.pdf</a>  <a href="#">FL560_R2_AE LW Villa 900 ICC 1-07.pdf</a></p>

[Back](#) [Next](#)

[DCA Administration](#)  
**Department of Community Affairs**  
**Florida Building Code Online**  
**Codes and Standards**

2555 Shumard Oak Boulevard  
 Tallahassee, Florida 32399-2100

(850) 487-1824, Suncom 277-1824, Fax (850) 414-8436

© 2000-2005 The State of Florida. All rights reserved. [Copyright and Disclaimer](#)

Product Approval Accepts:





[DCA HOME](#) | [ABOUT DCA](#) | [DCA PROGRAMS](#) | [CONTACT DCA](#)

[BCIS Home](#) | [Log In](#) | [Hot Topics](#) | [Submit Surcharge](#) | [Stats & Facts](#) | [Publications](#) | [FBC Staff](#) | [BCIS Site Map](#) | [Links](#) | [Search](#)



## Product Approval

USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

- ▶ COMMUNITY PLANNING
- ▶ HOUSING & COMMUNITY DEVELOPMENT
- ▶ EMERGENCY MANAGEMENT
- ▶ OFFICE OF THE SECRETARY

FL #	FL7849
Application Type	New
Code Version	2004
Application Status	Approved
Comments	
Archived	<input type="checkbox"/>
Product Manufacturer	MonierLifetile
Address/Phone/Email	200 Story Road Lake Wales, FL 33853 (561) 866-5983 rmoody@monierlifetile.com
Authorized Signature	Reese Moody rmoody@monierlifetile.com
Technical Representative	Reese Moody
Address/Phone/Email	200 Story Road Lake Wales, FL 33853 rmoody@monierlifetile.com
Quality Assurance Representative	Steve Zigich
Address/Phone/Email	200 Story Road Lake Wales, FL 33853 szigich@monierlifetile.com
Category	Roofing
Subcategory	Roofing Tiles
Compliance Method	Evaluation Report from a Product Evaluation Entity
Evaluation Entity	ICC Evaluation Service, Inc.
Quality Assurance Entity	R I Ogawa & Associates, Inc.
Validated By	Gary W. Walker
Certificate of Independence	<a href="#">FL7849_R0_COI_ICC Independence Statement.pdf</a>
Referenced Standard and Year (of Standard)	<b>Standard</b> ASTM C 1492
	<b>Year</b> 2003
Equivalence of Product Standards Certified By	
Sections from the Code	

Product Approval Method	Method 1 Option C
Date Submitted	11/16/2006
Date Validated	11/16/2006
Date Pending FBC Approval	11/17/2006
Date Approved	12/06/2006

Summary of Products		
FL #	Model, Number or Name	Description
7849.1	Saxony	Flat Concrete Roof tile
<b>Limits of Use</b> Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: Class A roof covering		<b>Installation Instructions</b> <a href="#">FL7849_RO_II_FRSA-TRI Installation.pdf</a> Verified By: Gary W. Walker 40455 <b>Evaluation Reports</b> <a href="#">FL7849_RO_AE_ESR-1647.pdf</a>

DCA Administration

**Department of Community Affairs**  
**Florida Building Code Online**  
**Codes and Standards**

2555 Shumard Oak Boulevard  
 Tallahassee, Florida 32399-2100

(850) 487-1824, Suncom 277-1824, Fax (850) 414-8436

© 2000-2005 The State of Florida. All rights reserved. [Copyright and Disclaimer](#)

**Product Approval Accepts:**





[DCA HOME](#) | [ABOUT DCA](#) | [DCA PROGRAMS](#) | [CONTACT DCA](#)

[BCIS Home](#) | [Log In](#) | [Hot Topics](#) | [Submit Surcharge](#) | [Stats & Facts](#) | [Publications](#) | [FBC Staff](#) | [BCIS Site Map](#) | [Links](#) | [Search](#)



## Product Approval

USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

- ▶ COMMUNITY PLANNING
- ▶ HOUSING & COMMUNITY DEVELOPMENT
- ▶ EMERGENCY MANAGEMENT
- ▶ OFFICE OF THE SECRETARY

FL #	FL7781-R1						
Application Type	Revision						
Code Version	2004						
Application Status	Approved						
Comments							
Archived	<input type="checkbox"/>						
Product Manufacturer	MonierLifetile						
Address/Phone/Email	200 Story Road Lake Wales, FL 33853 (561) 866-5983 rmoody@monierlifetile.com						
Authorized Signature	Reese Moody rmoody@monierlifetile.com						
Technical Representative	Reese Moody						
Address/Phone/Email	200 Story Road Lake Wales, FL 33853  rmoody@monierlifetile.com						
Quality Assurance Representative	Steve Zigich						
Address/Phone/Email	200 Story Road Lake Wales, FL 33853  szigich@monierlifetile.com						
Category	Roofing						
Subcategory	Roofing Tiles						
Compliance Method	Test Report						
Testing Lab	SGS US Testing Co - Rancho						
Quality Assurance Entity	R I Ogawa & Associates, Inc.						
Validated By	Gary W. Walker						
Certificate of Independence	<a href="#">FL7781_R1_COI_Ogawa - Monier statement of independence.pdf</a> <a href="#">FL7781_R1_COI_SGS Independence Statement.pdf</a>						
Referenced Standard and Year (of Standard)	<table border="0"> <thead> <tr> <th><b>Standard</b></th> <th><b>Year</b></th> </tr> </thead> <tbody> <tr> <td>ASTM C 1492</td> <td>2003</td> </tr> <tr> <td>ASTM C140</td> <td>2003</td> </tr> </tbody> </table>	<b>Standard</b>	<b>Year</b>	ASTM C 1492	2003	ASTM C140	2003
<b>Standard</b>	<b>Year</b>						
ASTM C 1492	2003						
ASTM C140	2003						
Equivalence of Product Standards Certified By							

Product Approval Method	Method 1 Option B
Date Submitted	01/15/2007
Date Validated	01/15/2007
Date Pending FBC Approval	01/19/2007
Date Approved	02/07/2007

Summary of Products		
FL #	Model, Number or Name	Description
7781.1	Barcelona 900	High profile concrete roof tile
<b>Limits of Use</b> Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: (1) Class Roof A covering		<b>Installation Instructions</b> <a href="#">FL7781_R1_II_FRSA-TRI Installation.pdf</a> Verified By: Gary W. Walker 40455 <b>Test Reports</b> <a href="#">FL7781_R1_TR_LA Barcelone 900 1-07.pdf</a>

DCA Administration

**Department of Community Affairs**  
**Florida Building Code Online**  
**Codes and Standards**

2555 Shumard Oak Boulevard  
 Tallahassee, Florida 32399-2100

(850) 487-1824, Suncom 277-1824, Fax (850) 414-8436

© 2000-2005 The State of Florida. All rights reserved. [Copyright and Disclaimer](#)

**Product Approval Accepts:**

